



Shaft Logs

Centek shaft logs (rudder post housings) are filament wound using only neat vinyl ester resin and corrosion-resistant E glass fibers to ensure maximum performance. Smooth, resin-rich inner diameters ensure precision functionality. Custom sizes are available upon request.


Shaft Logs

MATERIALS AND CONSTRUCTION

Process	Filament Winding CNC
Resin	Class 1 Fire Retardant Epoxy Vinyl Ester Thermoset
Glass	Corrosion-Resistant E Glass
Glass/Resin Ratio	60%

ATTRIBUTES

Color	Standard Black; White, Gel-Coat; Yacht Quality Available
Approvals	Lloyd's Register Type Approval
Flame Retardancy	UL94V-0



continued, over

Part #	Description	ID (IN)	ID (MM)	OD (IN)	OD (MM)	Standard Length (IN)	Standard Length (MM)
1100252-5	0.43" x 0.63" Shaft-Log, 60"	0.43	11	0.63	17	60	1524
1100400-5	0.43" x 0.875" Shaft-Log, 60"	0.43	11	0.875	23	60	1524
1100250-5	0.5" x 0.75" Shaft-Log, 60"	0.5	13	0.75	20	60	1524
1100251-10	0.77" x 1" Shaft-Log, 120"	0.77	20	1	26	120	3048
1100255-10	0.77" x 1" Shaft-Log (White), 120"	0.77	20	1	26	120	3048
1100273-10	0.98" x 1.27" Shaft-Log, 120"	0.98	25	1.27	33	120	3048
1100390-10	1" x 1.38" Shaftlog	1	26	1.38	36	120	3048
1100322-10	1.13" x 1.38" Shaft-Log, 120"	1.13	29	1.38	36	120	3048
1100308-10	1.13" x 1.55" Shaft-Log, 120"	1.13	29	1.55	40	120	3048
1100265-10	1.29" x 1.42" Shaft-Log, 120"	1.29	33	1.42	37	120	3048
1100234-10	1.29" x 1.5" Shaft-Log, 120"	1.29	33	1.5	39	120	3048
1100243-10	1.29" x 1.63" Shaft-Log, 120"	1.29	33	1.63	42	120	3048
1100276-10	1.29" x 1.75" Shaft-Log, 120"	1.29	33	1.75	45	120	3048
1100306-10	1.29" x 2" Shaft-Log, 120"	1.29	33	2	51	120	3048
1100304-10	1.40" x 1.71" Shaft-Log, 120"	1.4	36	1.71	44	120	3048
1100406-10	1.5" x 1.8" Shaft-Log, 120"	1.5	39	1.8	46	120	3048
1100204-10	1.5" x 2" Shaft-Log, 120"	1.5	39	2	51	120	3048
1100221-10	1.5" x 2.25" Shaft Log, 120"	1.5	39	2.25	58	120	3048
1100237-10	1.52" x 1.75" Shaft-Log, 120"	1.52	39	1.75	45	120	3048
1100256-10	1.52" x 2.75" Shaft-Log, 120"	1.52	39	2.75	70	120	3048
1100233-10	1.64" x 1.88" Shaft-Log, 120"	1.64	42	1.88	48	120	3048
1100240-10	1.64" x 2" Shaft-Log, 120"	1.64	42	2	51	120	3048
1100312-10	1.64" x 2.25" Shaft-Log, 120"	1.64	42	2.25	58	120	3048
1100236-10	1.64" x 2.38" Shaft-Log, 120"	1.64	42	2.38	61	120	3048
1100262-10	1.75" x 2" Shaft-Log, 120"	1.75	45	2	51	120	3048
1100268-10	1.75" x 2" Shaft-Log, 120"	1.75	45	2	51	120	3048
1100209-10	1.75" x 2.25" Shaft-Log, 120"	1.75	45	2.25	58	120	3048

continued, over

Part #	Description	ID (IN)	ID (MM)	OD (IN)	OD (MM)	Standard Length (IN)	Standard Length (MM)
1100261-10	1.75" x 2.34" Shaft-Log, 120"	1.75	45	2.34	60	120	3048
1100293-10	1.75" x 2.5" Shaft-Log, 120"	1.75	45	2.5	64	120	3048
1100214-10	1.75" x 2.75" Shaft-Log, 120"	1.75	45	2.75	70	120	3048
1100393-10	1.75" x 3" Shaft-Log, 120"	1.75	45	3	77	120	3048
1100246-10	1.87" x 2.25" Shaft-Log, 120"	1.87	48	2.25	58	120	3048
1100218-10	1.87" x 2.38" Shaft-Log, 120"	1.87	48	2.38	61	120	3048
1100249-10	1.87" x 2.5" Shaft-Log, 120"	1.87	48	2.5	64	120	3048
1100208-10	1.87" x 2.63" Shaft-Log, 120"	1.87	48	2.63	67	120	3048
1100206-10	1.87" x 2.75" Shaft-Log, 120"	1.87	48	2.75	70	120	3048
1100231-10	1.87" x 2.88" Shaft-Log, 120"	1.87	48	2.88	74	120	3048
1100217-10	2" x 2.25" Shaft-Log, 120"	2	51	2.25	58	120	3048
1100201-10	2" x 2.38" Shaft-Log, 120"	2	51	2.38	61	120	3048
1100203-10	2" x 2.5" Shaft-Log, 120"	2	51	2.5	64	120	3048
1100213-10	2" x 2.62" Shaft-Log, 120"	2	51	2.62	67	120	3048
1100207-10	2" x 3" Shaft-Log, 120"	2	51	3	77	120	3048
1100220-10	2.25" x 2.5" Shaft-Log, 120"	2.25	58	2.5	64	120	3048
1100401-10	2.25" x 2.70" Long Shaft-Log, 120"	2.25	58	2.7	69	120	3048
1100275-10	2.25" x 2.75" Shaft-Log, 120"	2.25	58	2.75	70	120	3048
1100222-10	2.25" x 3" Shaft-Log, 120"	2.25	58	3	77	120	3048
1100277-10	2.25" x 3.25" Shaft-Log, 120"	2.25	58	3.25	83	120	3048
1100202-10	2.37" x 2.62" Shaft-Log, 120"	2.37	61	2.62	67	120	3048
1100324-10	2.37" x 2.73" Shaft-Log, 120"	2.37	61	2.73	70	120	3048
1100245-10	2.37" x 3" Shaft-Log, 120"	2.37	61	3	77	120	3048
1100205-10	2.37" x 3.38" Shaft-Log, 120"	2.37	61	3.38	86	120	3048
1100410-10	2.37" x 3.5" Shaft-Log, 120"	2.37	61	3.5	89	120	3048
1100264-10	2.49" x 2.88" Shaft-Log, 120"	2.49	64	2.88	74	120	3048
1100216-10	2.49" x 3" Shaft-Log, 120"	2.49	64	3	77	120	3048

continued, over

Part #	Description	ID (IN)	ID (MM)	OD (IN)	OD (MM)	Standard Length (IN)	Standard Length (MM)
1100314-10	2.49" x 3" Shaft-Log, 120"	2.49	64	3	77	120	3048
1100288-10	2.49" x 3.5" Shaft-Log, 120"	2.49	64	3.5	89	120	3048
1100269-10	2.5" x 2.75" Shaft-Log, 120"	2.5	64	2.75	70	120	3048
1100321-10	2.5" x 3.25" Shaft-Log, 120"	2.5	64	3.25	83	120	3048
1100280-10	2.5" x 4" Shaft-Log, 120"	2.5	64	4	102	120	3048
1100225-10	2.61" x 2.88" Shaft-Log, 120"	2.61	67	2.88	74	120	3048
1100224-10	2.61" x 3" Shaft-Log, 120"	2.61	67	3	77	120	3048
1100228-10	2.61" x 3.38" Shaft-Log, 120"	2.61	67	3.38	86	120	3048
1100323-10	2.61" x 3.5" Shaft-Log, 120"	2.61	67	3.5	89	120	3048
1100254-10	2.61" x 3.63" Shaft-Log, 120"	2.61	67	3.63	93	120	3048
1100270-10	2.74" x 3" Shaft-Log, 120"	2.74	70	3	77	120	3048
1100302-10	2.74" x 3.25" Shaft-Log, 120"	2.74	70	3.25	83	120	3048
1100226-10	2.74" x 3.5" Shaft-Log, 120"	2.74	70	3.5	89	120	3048
1100408-10	2.74" x 4" Shaft-Log, 120"	2.74	70	4	102	120	3048
1100215-10	2.86" x 3.25" Shaft-Log, 120"	2.86	73	3.25	83	120	3048
1100263-10	2.86" x 3.38" Shaft-Log, 120"	2.86	73	3.38	86	120	3048
1100325-10	2.86" x 3.5" Shaft-Log, 120"	2.86	73	3.5	89	120	3048
1100242-10	2.86" x 3.88" Shaft-Log, 120"	2.86	73	3.88	99	120	3048
1100303-10	2.86" x 4" Shaft-Log, 120"	2.86	73	4	102	120	3048
1100223-10	3" x 3.25" Shaft-Log, 120"	3	77	3.25	83	120	3048
1100210-10	3" x 3.38" Shaft-log, 120"	3	77	3.38	86	120	3048
1100211-10	3" x 3.5" Shaft-Log, 120"	3	77	3.5	89	120	3048
1100320-10	3" x 3.63" Shaft-Log, 120"	3	77	3.63	93	120	3048
1100286-10	3" x 3.63" Shaft-Log, 120"	3	77	3.63	93	120	3048
1100289-10	3" x 3.75" Shaft-Log, 120"	3	77	3.75	96	120	3048
1100232-10	3" x 4" Shaft-Log, 120"	3	77	4	102	120	3048
1100395-10	3" x 4.25" Shaft-Log, 120"	3	77	4.25	108	120	3048

continued, over

Part #	Description	ID (IN)	ID (MM)	OD (IN)	OD (MM)	Standard Length (IN)	Standard Length (MM)
1100399-10	3" x 4.38" Shaft-Log, 120"	3	77	4.38	112	120	3048
1100284-10	3" x 4.5" Shaft-Log, 120"	3	77	4.5	115	120	3048
1100219-10	3" x 4.75" Shaft-Log, 120"	3	77	4.75	121	120	3048
1100300-10	3" x 5" Shaft-Log, 120"	3	77	5	127	120	3048
1100328-10	3.24" x 3.41" Shaft-Log, 120"	3.24	83	3.41	87	120	3048
1100239-10	3.24" x 3.5" Shaft-Log, 120"	3.24	83	3.5	89	120	3048
1100212-10	3.24" x 3.62" Shaft-log, 120"	3.24	83	3.62	92	120	3048
1100241-10	3.24" x 4.03" Shaft-Log, 120"	3.24	83	4.03	103	120	3048
1100244-10	3.24" x 4.38" Shaft-Log, 120"	3.24	83	4.38	112	120	3048
1100230-10	3.24" x 4.5" Shaft-Log, 120"	3.24	83	4.5	115	120	3048
1100272-10	3.46" x 3.75" Shaft-Log, 120"	3.46	88	3.75	96	120	3048
1100259-10	3.46" x 4.03" Shaft-Log, 120"	3.46	88	4.03	103	120	3048
1100253-10	3.46" x 4.5" Shaft-Log, 120"	3.46	88	4.5	115	120	3048
1100397-10	3.46" x 5" Shaft-Log, 120"	3.46	88	5	127	120	3048
1100266-10	3.55" x 3.82" Shaft-Log, 120"	3.55	91	3.82	98	120	3048
1100279-10	3.55" x 4" Shaft-Log, 120"	3.55	91	4	102	120	3048
1100392-10	3.73" x 4" Shaft-Log, 120"	3.73	95	4	102	120	3048
1100235-10	3.73" x 4.12" Shaft-Log, 120"	3.73	95	4.12	105	120	3048
1100248-10	3.73" x 4.5" Shaft-Log, 120"	3.73	95	4.5	115	120	3048
1100247-10	3.73" x 4.74" Shaft-Log, 120"	3.73	95	4.74	121	120	3048
1100257-10	3.73" x 5" Shaft-Log, 120"	3.73	95	5	127	120	3048
1100396-10	3.73" x 5.5" Shaft-Log, 120"	3.73	95	5.5	140	120	3048
1100413-10	4" x 4.75" Shaft-Log, 120"	4	102	4.75	121	120	3048
1100267-10	4.22" x 4.41" Shaft-Log, 120"	4.22	108	4.41	113	120	3048
1100299-10	4.22" x 4.63" Shaft-Log, 120"	4.22	108	4.63	118	120	3048
1100424-10	4.22"ID x 4.75"OD Shaft Log, 120"	4.22	108	4.75	121	120	3048
1100313-10	4.22" x 5" Shaft-Log, 120"	4.22	108	5	127	120	3048

continued, over

Part #	Description	ID (IN)	ID (MM)	OD (IN)	OD (MM)	Standard Length (IN)	Standard Length (MM)
1100227-10	4.22" x 5.25" Shaft-Log, 120"	4.22	108	5.25	134	120	3048
1100297-10	4.22" x 5.5" Shaft-Log, 120"	4.22	108	5.5	140	120	3048
1100398-10	4.22" x 5.5" Shaft-Log, 120"	4.22	108	5.5	140	120	3048
1100291-10	4.22" x 6" Shaft-Log, 120"	4.22	108	6	153	120	3048
1100404-10	4.22" x 6.38" Shaft-Log, 120"	4.22	108	6.38	163	120	3048
1100274-10	4.71" x 5" Shaft-Log, 120"	4.71	120	5	127	120	3048
1100411-10	4.71" x 5.22" Shaft Log, 120"	4.71	120	5.22	133	120	3048
1100409-10	4.71" x 5.5" Shaft-Log, 120"	4.71	120	5.5	140	120	3048
1100260-10	4.71" x 6" Shaft-Log, 120"	4.71	120	6	153	120	3048
1100326-10	4.71" x 6.25" Shaft-Log, 120"	4.71	120	6.25	159	120	3048
1100327-10	4.71" x 6.5" Shaft-Log, 120"	4.71	120	6.5	166	120	3048
1100391-10	4.94" x 5.32" Shaft-Log, 120"	4.94	126	5.32	136	120	3048
1100315-10	4.94" x 5.52" Shaft-Log, 120"	4.94	126	5.52	141	120	3048
1100283-10	4.94" x 6" Shaft-Log, 120"	4.94	126	6	153	120	3048
1100290-10	4.94" x 6.5" Shaft-Log, 120"	4.94	126	6.5	166	120	3048
1100389-10	4.94" x 7.25" Shaft-Log, 120"	4.94	126	7.25	185	120	3048
1100403-10	5.25" x 6.5" Shaft-Log, 120"	5.25	134	6.5	166	120	3048
1100229-10	5.71" x 6" Shaft-Log, 120"	5.71	146	6	153	120	3048
1100271-10	5.71" x 6" Shaft-Log, 120"	5.71	146	6	153	120	3048
1100407-10	5.71" x 6.30 Shaft-Log, 120"	5.71	146	6.3	161	120	3048
1100278-10	5.71" x 6.5" Shaft-Log, 120"	5.71	146	6.5	166	120	3048
1100301-10	5.71" x 6.63" Shaft-Log, 120"	5.71	146	6.63	169	120	3048
1100296-10	5.71" x 6.75" Shaft-Log, 120"	5.71	146	6.75	172	120	3048
1100295-10	5.71" x 7" Shaft-Log, 120"	5.71	146	7	178	120	3048
1100281-10	5.71" x 7.2" Shaft-Log, 120"	5.71	146	7.2	183	120	3048
1100292-10	5.71" x 7.5" Shaft-Log, 120"	5.71	146	7.5	191	120	3048
1100402-10	5.71" x 8.25" Long Shaft-Log, 144"	5.71	146	8.25	210	144	3658

continued, over

Part #	Description	ID (IN)	ID (MM)	OD (IN)	OD (MM)	Standard Length (IN)	Standard Length (MM)
1100418-10	6" x 8.25" Shaft-Log, 120"	6	153	8.25	210	120	3048
1100307-10	6.45" x 6.83" Shaft-Log, 120"	6.45	164	6.83	174	120	3048
1100311-10	6.45" x 7" Shaft-Log, 120"	6.45	164	7	178	120	3048
1100405-10	6.45" x 7.5" Long Shaft-Log, 120"	6.45	164	7.5	191	120	3048
1100318-10	6.45" x 8" Shaft-Log, 120"	6.45	164	8	204	120	3048
1100394-10	6.45" x 8.25" Shaft-Log, 120"	6.45	164	8.25	210	120	3048
1100388-10	6.45" x 8.94" Shaft-Log, 120"	6.45	164	8.94	228	120	3048
1100316-10	7.68" x 8.3" Shaft-Log, 120"	7.68	196	8.3	211	120	3048
1100298-10	7.68" x 9" Shaft-Log, 120"	7.68	196	9	229	120	3048
1100287-10	8.38" x 8.82" Shaft-Log, 120"	8.38	213	8.82	225	120	3048
1100282-10	9.1" x 9.44" Shaft-Log, 120"	9.1	232	9.44	240	120	3048
1100285-10	10.37" x 10.8" Shaft-Log, 120"	10.37	264	10.8	275	120	3048

